



Strokes

Introduction

ODNLQJ VHQVH RI KRZ ,& ' &\$ FODVVL_zHV VWURNHV FRQWULEXWHV RQ RQO\ WKH GHWDLOV UHTXLUGH WR DVVLJQ WKH PRVW DFFXUDWH

7KLV MRE DLG ZLOO H[DPLQH WKH GL_zHUHQW W\SHV RI VWURNHV DQ ZKDW IDFWV PXVW EH FROOHFWHG IURP WKH GRFXPHQWDWLQRQ WR D

Stroke definition

%URDGO\ WKHUH DUH W\SHV RI VWURNH LVFKHPLF DQG KHPRUUKDJLF VWURNH

\$Q LVFKHPLF VWURNH LV WKH VXGGHQ G\VIXQFWLRQ DQG ² RYHU WL GXH WR LQDGHTXDWH EORRG \bar{A} RZ \$ VWURNH RFFXUV ZKHQ EORRG \bar{A} WR VXSSO\ R[\JHQ DQG QXWULHQWV DQG WR UHPRYH ZDVWH SURGX VWURNH LV DOVR VRPHWLPHV FDOOHG D EUDLQ LQIDUFW RU D FHUH

\$ KHPRUUKDJLF VWURNH HLWKHU LQWUDFHUHEUDO KHPRUUKDJH RU DQG ² RYHU WLPH KRXUV ² GHDWK RI EUDLQ FHOOV LQ D ORFDOL]H

6WURNHV DUH FODVVL_zHG WR FDWHJRULHV , , , DQG , LQ ,& FRQVLGHUHG DFXWH VWURNHV DQG WKXV DUH QRW LQFOXGHG LQ WI

7KH RYHUDOO DUUDQJPHQW RI WKH VH FDWHJRULHV FRUUHVSRQG DQG LVFKHPLF

Hemorrhagic stroke

\$ KHPRUUKDJLF VWURNH RFFXUV ZKHQ EORRG IURP D UXSWXUHG RU WLVVXH LQWUDFHUHEUDO KHPRUUKDJH RU EHWZHHQ WKH LQQHU D VXEDUDFKQRLG KHPRUUKDJH



I60 Subarachnoid haemorrhage

& DWHJRU\ , FODVVL₂H VSRQWDQHRXV KHPRUUKDJLF VWURNHV ZLW
7KH PRVW FRPPRQ FDGXVH RI D VXEDUDFKQRLG KHPRUUKDJH LV D UX
LW HQWHUV WKH EDVH RI WKH EUDLQ EORRG ÀRZV LQWR WKH FHUH
PDWHU DQG WKH SLD PDWHU +RZHYZHU DERXW RI WKH WLPH WKI
0RVW RI WKH VXEFDWHJRULHV LQ , DUH RUJDQL]HG E\ ZKLFK DUWH

ICD-10-CA code	ICD-10-CA code title
I60.0	6XEDUDFKQRLG KDHPHUUKDJH IURP FDURWLG VLSKRQ DQG ELIXUFDW
I60.1	6XEDUDFKQRLG KDHPHUUKDJH IURP PLGGOH FUHEUDO DUWHU\
I60.2	6XEDUDFKQRLG KDHPHUUKDJH IURP DQWHULRU FRPPXQLFDWLQJ DUW
I60.3	6XEDUDFKQRLG KDHPHUUKDJH IURP SRVWHULRU FRPPXQLFDWLQJ DUW
I60.4	6XEDUDFKQRLG KDHPHUUKDJH IURP EDVLODU DUWHU\
I60.5	6XEDUDFKQRLG KDHPHUUKDJH IURP YHUWHEUDO DUWHU\
I60.6	6XEDUDFKQRLG KDHPHUUKDJH IURP RWKHU LQWUDFUDQLDO DUWHULH • 7KLV FRGH LQFOXGHV VSHFL ₂ HG DUWHULHV QRW OLVWHG DERYH D ZKHQ RU PRUH GLVWLQFW DUWHULHV JLYH ULVH WR WKH VXEDUD
I60.7	6XEDUDFKQRLG KDHPHUUKDJH IURP LQWUDFUDQLDO DUWHU\ XQVSHF • :KHQ WKH VLWH LV DQ DUWHU\ EXW WKHUH LV LQVX^FLHQW GHWDL • \$ EHUU\ DQHXU\VP LV RQH WKDW LV ORFDWHG RQ D PDMRU DUWHU LV LQFOXGHG KHUH EHFDXVH ZH NQRZ DQ DUWHU\ LV LQYROYHG E • 7KH FRPPXQLFDWLQJ DUWHU\ LV LQFOXGHG KHUH EHFDXVH WKH GH VSHFL ₂ F HQRXJK 7KHUH LV DQ DQWHULRU FRPPXQLFDWLQJ DUWHU EXW QRW D FRPPXQLFDWLQJ DUWHU\
I60.8	2WKHU VXEDUDFKQRLG KDHPHUUKDJH • 7KLV FRGH LQFOXGHV WHUPV GHVFULELQJ D VXEDUDFKQRLG KHPR VRXUFH \$ PHQLQJHDO KHPRUUKDJH FDQ PHDQ KHPRUUKDJH IURP D RI D FUHEUDO DUWHULRYHQRXV PDOIRUPDWLRQ LQYROYHV ERWK
I60.9	6XEDUDFKQRLG KDHPHUUKDJH XQVSHFL ₂ HG • :KHQ WKHUH LV LQVX^FLHQW GHWDL WR FODVVLI\ WKH VXEDUDFK , LV DVVLJQHG









Cerebral venous thrombosis

ICD-10-CA code	ICD-10-CA code title
I63.6	&HUHEUDO LQIDUFWLRQ GXH WR FHUHEUDO YHQRXV WKURPERVLV QRQ • :KLOH D WKURPEXV FDQ DOVR EH SUHVHQW LQ D YHLQ RU YHQRXV VI FRPSDUHG ZLWK DUWHULDO WKURPERVLV

Other and unspecified

ICD-10-CA code	ICD-10-CA code title
I63.8	2WKHU FHUHEUDO LQIDUFWLRQ • ,QFOXGHV RQO\ VWURNH WHUPV WKDW VSHFLI\ DQ HWLRORJ\ RWKHU
I63.9	&HUHEUDO LQIDUFWLRQ XQVSHFL\x{00f6}HG • \$Q LVFKHPLF VWURNH ZLWKRXW DQ\ IXUWKHU VSHFL\x{00f6}FDWLRQ RU WK WR , • ,QFOXGHV RFFLSLWDO OREH LQIDUFWLRQ WKDODPLF LQIDUFWLRQ D HQRXJK GHWDLO LQ WKH VHWDWPHQWV WR NQRZ WKH HWLRORJ\ R

General guidelines to apply when selecting a code from category I63

- , I D VSHFL\x{00f6}F artery RI WKH EUDLQ LV LGHQWL\x{00f6}HG DVVLJQ , WR ,
- , I WKH HWLRORJ\ LV D FHUHEUDO YHQRXV WKURPERVLV DVVLJQ ,
- , I D VSHFL\x{00f6}R Irelwdk H EUDLQ LV LGHQWL\x{00f6}HG DVVLJQ ,
- , I DQ HWLRORJ\ RWKHU WKDQ RFFOXVLRQ RU VWHQRVLV LV LGHQW

Multiple ischemic codes

\$ FOHDUO\ GRFXPHQWHG VHFRQG LVFKHPLF VWURNH FDQ EH FRGKG
D VHFRQG LQIDUFWLRQ ZKLOH LQ KR Cerebral OcclusionF BGHW HUORHPF WDIO\ HJR
, 0 &HUHEUDO LQIDUFWLRQ XQVSHFL\x{00f6}HG
, &HUHEUDO LQIDUFWLRQ XQVSHFL\x{00f6}HG



I64 Stroke, not specified as haemorrhage or infarction

\$ VWURNH ZLWKRXW DQ\ VSHFL\ FDWLRQ ZKDWWRH YHU LV DVVLJQHG
7KHUH DUH YHU\ IHZ FLUFXPVWDQFH V ZKHQ WKH XVH RI , LV YDOLO
V\PSWRPV WKH \UVW SULRULW\ LV WR HVWDEOLVK WKH W\SH RI VW
VRRQ DV SRVVLEOH &LUFXPVWDQFH V ZKHQ WKH XVH RI , LV YDOLO
• :KHQ GLDJQRVWLFD PDJLQJ KDV QRW \HW EHHQ SHUIRUPHG DQG WK
IDFLOLW\ GPLWWHG IURP WKH HPHUJHQF\ GHSDUWPHQW RU GLHG
• :KHQ D SDWLHQW LV WUDQVIHUUHG EDFN WR WKH ORFDO IDFLOLW\
RI VWURNH DQG
• :KHQ WKH IDFLOLW\ GRHV QRW KDYH GLDJQRVWLFD PDJLQJ FDSDFL
UHSDWULDWLQJ SDWLHQWV DIWHU KDYLQJ WKHP WUDQVSRUWHG IR
VSHFL\ FDWLRQ LV UHTXLUHG

Stroke Tool

The Stroke Tool and Review Process KDQGRXW LV DYDLODEOH LQ WKH 5HVRXUFHV
LQWHQGHG WR DVVLVW ZLWK JDWKHULQJ IDFHV IURP WKH GRFXPHQW
NQRZ DERXW WKH VWURNH DQG ZKDW \RX VWLOO QHHG WR \QG RXW
VWURNH FRGH

7KH VWDUWLQJ SRLQW LV ZKHUH \RX NQRZ QRWKLQJ 7R PRYH IRUZD
RU LVFKHPLF

, ILW LV D KHPRUUKDJLF VWURNH \RX \UVW QHHG WR NQRZ ZKHWKH



1RWH WKDW WKLV FRGH FDQ DOVR EH ORFDWHG E\ WKH IROORZLQJ
+HPRUUKDJH KHPRUUKDJLF 5
± FUHEUDO FUHEUXP VHH DOVR +HPRUUKDJH LQWUDFHUHEUDO
± LQWUDFHUHEUDO QRQWUDXPDWLF ,
± ± LQ
± ± ± KHPLVSKHUh ,
± ± ± ± VXEFRUWLFD O ,

Review process

\$ GLDJQRVWLF VWDWHPHQW DORQH GRHV QRW DOZD\V SURYLGH WKH DFFXUDWHO\ DQG VSHFL i FDOO\ DV SRVVLEOH ,Q WKLV FDVH \RX P SRVVLEOH IURP WKH GRFXPHQWDWLRQ +DYLQJ DQ H^FLHQW DQG H‡ IDFLOLWDWHV WKLV WDVN

1. Focus exclusively on the stroke code.

:KHQ \RX DUH FRGLQJ D VWURNH FDVH i UVW IRFXV H[FOXVLYHO\ R FDWHJRU\ , , , RU , 7KLV ZLOO SUHYHQW \RX IURP EHLQJ GL FRGH KDV EHHQ VHOHFWHG

2. Code from a complete chart.

\$OZD\V FRGH IURP D FRPSOHWH FKDUW 2QO\ WKH i QDO SURGXFW F DQG VSHFL i F FRGH DVVLJQPHQW

\$VVHVW WKH i QDO GLDJQRVLV IRU VSHFL i FLW\ 6WDUW ZLWK WKH i QDO GLDJQRVLV RQ WKH GLVFKDUJH VXPPDU\ ,V VWURNH FRGH DV DFFXUDWHO\ DQG VSHFL i FDOO\ DV SRVVLEOH" ,I \ 5HYLHZ WKH ERG\ RI WKH GLVFKDUJH VXPPDU\ IRU VSHFL i FLW\ ,I WKHUH LV LQVX^FLHQW GHWDLO LQ WKH i QDO GLDJQRVLV UHYLHZ GHWDLOV ,V WKH VWDWHPHQW DV VSHFL i F DV SRVVLEOH QRZ" ,I \H

5HYLHZ WKH LPSUHVVLRLQ RQ UHOHYDQW FRQVXOWDWLRQV IRU VS ,I QR WR WKH DERYH QH[W UHYLHZ WKH LPSUHVVLRLQ RQ UHOHYDQW QHXURORJ\ RU QHXURVXUJHU\ FRQVXOWV DQG UHKDELOLWDWLRQ FRQVXOWDWLRQ UHSRUW ,V WKH VWDWHPHQW DV VSHFL i F DV SRVV



5HYLHZ WKH FRQFOXVLRQ RQ UHOHYDQW GLDJQRVWLF LPDJLQJ UH
,I QR WR WKH DERYH WXUQ WR WKH FRQFOXVLRQ RQ UHOHYDQW GL
LQFOXGH &7 VFDQV DQG 05,V &RGHUV DUH QRW H[SHFWHG WR UHYL
LQ WKH ERG\ RI LPDJLQJ UHSRUWV ,V WKH VWDWHPHQW DV VSHFL\<
<RXU IDFLOLW\ PD\ KDYH RWKHU XVHIXO UHFRUGV WKDW FRQWDLQ W
IDFH VKHHW 7KH UHFRUGV LGHQWLHG KHUH DUH MXVW D JXLGHOLC
RQO\ WKH NH\ FRPSRQHQWV RI WKH UHFRUG DQG RI DQ\ JLYHQ UHSR
LV DOO \RX QHHG
7KHUH DUH IDU WRR PDQ\ YDULDEOHV ZLWK GLDJQRVWLF VWDWHPHQ
RI WKHP LQ WKLV FRXUVH +RZHYHU \RX QRZ KDYH WKH 6WURNH 7RI
VKRXOG SURGXFH WKH GHVLUHG UHVXOW GHWHUPLQLQJ WKH PRVW

Dos and don'ts

