Table of contents

Introduction 6
Purpose 6
Updates 7
Open-year data quality tests: Summary and rationale 7
Open-year data quality tests 17
1 Potential Extra Abstracts (D0103-18) 17
2 Incomplete Linkage of Mothers and Babies (D0112-23) 18
3 Mother’s Health Care Number Recorded on Out-of-Province Newborn’s Abstract (D0301-117) 19
4 Mother’s Health Care Number Recorded on In-Province Newborn’s Abstract (D0301-118) 21
5 Unknown Admission Time (D0402-64)

21 Cardiac Arrest Assigned Diagnosis Type (2) Without a Cardiac Resuscitative Intervention Code (D1002-171) 42
22 Confirmed or Suspected COVID-19 in Obstetrics Delivered (D1002-186) 43
23 Confirmed or Suspected COVID-19 in Obstetrics Undelivered (D1002-187) 44
24 Diabetes in Pregnancy — Delivered Episode of Care (D1002-188) 45
25 Diabetes in Pregnancy — Antepartum Episode of Care (D1002-189). 46
26 Incorrect J44.– (COPD) Code Assigned With Lower Respiratory Infection Code (D1002-194) 47
27 U07.4 *Post COVID-19 condition* Assigned Diagnosis Type M, 1, 2, W, X, Y (D1004-185) 48
28 R57.2 *Septic shock* as MRDx (D1004-193) 49
29 Repair High Vaginal Laceration Without a Corresponding Diagnosis Code (D1102-111) 50
30 Cementless Hip/Knee Replacement CCI Codes and the Presence of Cement Sticker (D1102-180) 51
31 Incorrect Status Attribute With 3.IP.10.VX (D1103-172) 52
32 Incorrect Status Attribute With 3.IP.10.VC and/or 3.IP.10.VZ (D1103-173) 53
33 Incorrect Location Attribute With 3.IP.10.VX (D1104-82). 54
34 Incorrect Location Attribute With 3.IP.10.VC and/or 3.IP.10.VZ (D1104-174) 55
35 Extent Attribute UN (Unknown) With Hip Replacement (D1105-86) 56
36 Incorrect Value of Extent Attribute for Hip Arthroplasty Codes 1.VA.53.^^ (D1105-166) 57
37 Three or More OOH Intervention Episodes in One Day (D1113-35) 59
38 Legal Status Upon Arrival to ED Must Not Be Blank for Non-NACRS L3 ED Facilities (D1515-177) 60
39 Legal Status Upon Arrival to ED Must Be Blank for NACRS L3 ED Facilities (D1515-178) 61
40 Legal Status Upon Arrival to ED Without Entry Code E — Emergency (D1515-179) . . 62
41 Type of Restraint N Recorded With Type of Restraint M, C, P or S (D1517-190) 63
42 Type of Restraint M, C, P, S or N Recorded More Than Once (D1517-191) 64
43 Frequency of Restraint Use N Recorded With Type of Restraint M, C, P or S (D1518-192) 65
44 Project 340 — Project Not Completed When an “Applicable Condition” Code Is Recorded (D1618-99) 66
45 Project 340 — Not Applicable, Unknown or Invalid Value for Prescription for Antithrombotic Medication at Discharge (D1618-103). 67

46 Project 340 — Missing, Invalid or Unknown Value for Date and Time of Acute Thrombolysis Administration When Administration of Acute Thrombolysis Is Y or P (D1618-121) 68

47 Project 340 — Invalid or Unknown Value for Stroke Symptom Onset Date and Time (D1618-123) 69

Introduction

As part of the Canadian Institute for Health Information's (CIHI's) commitment to quality data, the Discharge Abstract Database (DAD) is routinely analyzed for data quality issues during the submission year and after database closure. Suspect findings are communicated back to the submitting facilities for investigation and correction while the database is still open for submission.

Purpose

This document was created to

- Accompany the Open-Year Data Quality (OYDQ) reports flagging suspect data quality issues; and
- Help DAD clients create their own data quality audits to identify abstracts with suspected data quality issues and to submit corrections in a timely manner.

This document lists the OYDQ tests performed on the DAD, along with their rationale, rule, selection criteria, the data elements used in the analysis and, for some tests, one correct example to demonstrate a correct case and the references. It is important to note that the correct example does not cover all possible correct examples. Each test is indexed by a reference number and this number is used for all communication with clients.

The quarterly DAD OYDQ reports are made available to facilities and/or Provincial/Territorial Ministries of Health via the DAD and NACRS Applications web page. Automated email notifications are sent to clients when these reports are posted. Click on the following links: Operational Reports, DAD and then on Open Year Data Quality Reports.

Facilities are asked to review errors and to resubmit the corrected abstracts, where applicable. Each OYDQ detailed report references the DQ test number and name along with the DAD abstract identification data elements, such as Chart Number, Fiscal Year, Fiscal Period, Batch Number, Abstract Number and Discharge Date. The abstract identification information helps facilities link the abstracts with suspect data quality issues to the matching abstracts in their systems. A summary report is also provided. It includes the number of abstracts with errors, the number of total eligible abstracts and the percent error for each applicable OYDQ test. Provincial and national error percentages are also shown as comparison.

Note:

OYDQ test number	OYDQ test title	Short description	Rationale
D1103-173	Incorrect Status Attribute With 3.IP.10.VC and/or 3.IP.10.VZ	Intervention Code 3.IP.10. VC and/or 3.IP.10.VZ are recorded AND Status Attribute is DX, I or UN. Status Attribute values DX, I and UN are for use only with 3.IP.10.VX (coronary angiography).	Accurate data is required for in-depth analyses on coronary angiography.
D1104-82	Incorrect Location Attribute With 3.IP.10.VX	Coronary angiography Intervention Code with incorrect Location Attribute	Accurate data is required for in-depth analyses on coronary angiography.
D1104-174	Incorrect Location Attribute With 3.IP.10.VC and/or 3.IP.10.VZ	Intervention Code 3.IP.10. VC and/or 3.IP.10.VZ is recorded AND Location Attribute is CB, FY, LY, RY or U. Location Attribute values CB, FY, LY, RY and U are for use only with 3.IP.10.VX (coronary angiography).	Accurate data is required for in-depth analyses on coronary angiography.
D1105-86	Extent Attribute UN (Unknown)		



OYDQ test number	OYDQ test title	Short description	Rationale
D1618-123	Project 340 — Invalid or Unknown Value for Stroke Symptom Onset Date and Time (D1618-123)	When Project 340 is recorded, it is mandatory to complete Fields 13 to 24 (Stroke Symptom Onset Date and Time). This field captures the date and time that the patient first started to experience stroke symptoms, regardless of the location of the patient at the time of symptom	

OYDQ test number	OYDQ test title	Short description	Rationale
D1620-158	Project 440 — Invalid Value for First Reperfusion Achieved	When Project 440 Endovascular Thrombectomy is recorded, it is mandatory to record Field 16 First Reperfusion Achieved.	Endovascular thrombectomy is a high-priority health initiative.
D1620-159	Project 440 — Invalid Value for Date and Time of First Reperfusion Achieved When First Reperfusion Achieved Is Y	When Special Project 440 Endovascular Thrombectomy is recorded and Field 16 First Reperfusion Achieved is recorded with Y (Yes), Fields 17–22 Date and Time of First Reperfusion Achieved must be a valid date and time or 999999 (unknown).	Endovascular thrombectomy is a high-priority health initiative.
D1620-160	Project 440 — Invalid Value for Final Endovascular Thrombectomy Reperfusion Endova0̈sioqr Thrombectomy Endov		

Open-year data quality tests

1 Potential Extra Abstracts (D0103-18)

Criteria	Description
Selection criteria	Abstracts where the values recorded in the group of data elements below are the same in more than one abstract.
Data elements	Province/Territory, Institution Number, Health Care Number, Birthdate, Recorded Sex or Gender, Postal Code, Admission Date, Admission Time, Discharge Date, Discharge Time, Diagnosis Code (MRDX), Intervention Code (principal), Weight.

2 Incomplete Linkage of Mothers and Babies (D0112-23)

Rule

The Maternal/Newborn Chart Number on the mother's record must be the same as the Chart Number recorded on her newborn's record. The Maternal/Newborn Chart Number on the newborn's record must be the same as the Chart Number recorded on his or her mother's record.

Criteria	Description
Selection criteria	Diagnosis Code on mother's record is Z37.0–, Z37.2–, Z37.3–, Z37.5–, Z37.6– or Z37.9– (delivery) and Most Responsible Diagnosis Code is not O02.– to O05.– *Pregnancy with abortive outcome* and One of the Intervention Codes is 5.MD.50.^^ to 5.MD.60.^^ (delivery) Entry Code on newborn's record is N (Infant born alive within the reporting facility) and Most Responsible Diagnosis Code is not P96.4 *Termination of pregnancy, affecting fetus and newborn*. Mothers' abstracts where the Maternal/Newborn Chart Number is not the same as the Chart Number in the newborns' abstracts. Newborns' abstracts where the Maternal/Newborn Chart Number is not the same as the Chart Number in the mother's abstracts.
Data elements	Maternal/Newborn Chart Number, Chart Number, Entry Code, Diagnosis Code, Diagnosis Type, Intervention Code
Correct case example	The Chart Number and Maternal/Newborn Chart Number for the Mother should be M00001 and N00001 respectively. The Chart Number and Maternal/Newborn Chart Number for the Newborn should be N00001 and M00001 respectively. The Maternal/Newborn Chart Number on the mother's record is correctly recorded with newborn's Chart Number, and the Maternal/Newborn Chart Number on the newborn's record is correctly recorded with mother's Chart Number.
Reference	DAD Abstracting Manual: Group 01 — Submission Control Data Elements, Field 12 — Maternal/Newborn Chart Number

Criteria	Description
Selection criteria	Inclusions: The abstracts of newborns where • Entry Code is N (Infant born alive within the reporting facility), AND • Province/Territory Issuing HCN is not the same as the province/territory of the reporting facility, AND • HCN has a valid format, AND • Province/Territory Issuing HCN and HCN are equal to the Province/Territory Issuing HCN and HCN on a mother's abstract from the same reporting facility. The abstracts of mothers are used to identify newborns' abstracts with the mother's HCN recorded as HCN. The selection criteria for mothers' abstracts are • One of the Diagnosis Codes is Z37.0–, Z37.2–, Z37.3–, Z37.5–, Z37.6– or Z37.9– (delivery), AND • Most Responsible Diagnosis Code is not O02.– to O05.– (abortive outcome), AND • One of the Intervention Codes is 5.MD.50.^^ to 5.MD.60.^^ (delivery). Exclusions: 1. Province/Territory Issuing Health Care Number is 99 (not applicable) or CA (Canada). 2. Entry Code is S (Stillborn). 3. Admission Category is R (Cadaveric Donor). 4. HCN is 0 (Insured resident of reporting province/territory but HCN is not available) or 1 (Not applicable) or HCN has invalid format.
Data elements	Province/Territory, HCN, Province/Territory Issuing HCN, Entry Code, Admission Category, Diagnosis Code, Intervention Code
Correct case example	When available, the provincial/territorial HCN assigned to the newborn is recorded. When the newborn's HCN is not available, record 1 (not applicable) for out-of-province newborn if the province/territory of the reporting facility is Newfoundland and Labrador, P.E.I., Nova Scotia, Ontario, Saskatchewan, British Columbia and Nunavut.
Reference	DAD Abstracting Manual: Group 03 — Patient/Client Demographics, Field 01 — Health Care Number

4 Mother’s Health Care Number Recorded on In-Province Newborn’s Abstract (D0301-118)

Rule

When available, record the provincial/territorial health care number (HCN) assigned to the newborn.

Northwest Territories and Yukon:

- When the newborn’s HCN is not available, record the mother’s HCN.
- When the mother’s HCN is not available, record 0 (HCN not available) for provincial/territorial residents.

Newfoundland and Labrador, P.E.I., Ontario, British Columbia and Nunavut:

- The mother’s health care number cannot be recorded as the health care number on the newborn’s abstracts.
- When the newborn’s HCN is not available, record 0 (HCN not available) for provincial/territorial residents.

Nova Scotia and Saskatchewan:

- The newborn’s HCN must always be recorded for provincial/territorial residents.

Manitoba:

- When the newborn’s HCN is not available, record 0 (HCN not available) for provincial/territorial residents.

Note: This test will be completed for all in-province newborns’ abstracts with a valid HCN. A high percent of in-province newborn abstracts with the mother’s HCN recorded as HCN may indicate a need to investigate practices around the capture of HCNs for newborns.

Criteria	Description
Selection criteria	Inclusions: The abstracts of newborns where: • Entry Code is N (Infant born alive within the reporting facility), AND • Province/Territory Issuing HCN is the same as the province/territory of the reporting facility, AND • HCN has a valid format, AND • Province/Territory Issuing HCN and HCN are equal to the Province/Territory Issuing HCN and HCN on a mother's abstracts from the same reporting facility. The abstracts of mothers are used to identify newborns' abstracts with the mother's HCN recorded as HCN. The selection criteria for mothers' abstracts are • One of the Diagnosis Codes is Z37.0–, Z37.2–, Z37.3–, Z37.5–, Z37.6– or Z37.9– (delivery), AND • Most Responsible Diagnosis Code is not O02.– to O05.– (abortive outcome), AND • One of the Intervention Codes is 5.MD.50.^^ to 5.MD.60.^^ (delivery). Exclusions: 1. Province/Territory Issuing Health Care Number is 99 (not applicable) or CA (Canada). 2. Entry Code is S (Stillborn). 3. Admission Category is R (Cadaveric Donor). 4. HCN is 0 (Insured resident of reporting province/territory but HCN is not available) or 1 (Not applicable) or HCN has invalid format.
Data elements	Province/Territory, HCN, Province/Territory Issuing HCN, Entry Code, Admission Category, Diagnosis Code, Intervention Code
Correct case example	When available, the provincial/territorial HCN assigned to the newborn is recorded. When the newborn's HCN is not available, record 0 (HCN not available) for in-province newborn if the province/territory of the reporting facility is Newfoundland and Labrador, P.E.I., Ontario, British Columbia and Nunavut.
Reference	DAD Abstracting Manual: Group 03 — Patient/Client Demographics, Field 01 — Health Care Number

5 Unknown Admission Time (D0402-64)

Rule

Admission Date/Time is the date and time that the patient was officially registered as an inpatient or a day surgery visit. A patient is considered an inpatient when the physician's order to admit is given.

An inpatient abstract should be created when an ED patient is admitted to an acute care unit.

- Record the Admission Date/Time as the date and time the physician gave the order to admit. The date and time the patient physically leaves the emergency department and does not return during that encounter will¾M l א l ۰ ا'

6 Unknown Discharge Time (D0502-65)

Rule

Discharge Date/Time is the date and time when the patient was formally discharged.

- Record the date/time the patient was formally discharged and physically left the bed in the nursing unit.
- Additional information on how to record the date/time for patients absent without leave (AWOL), for patients who do not return from a pass and for what constitutes brain death can be found in the DAD Abstracting Manual.

Criteria	Description
Selection criteria	Abstracts where Discharge Time is 9999 (unknown)
Data element	Discharge Time

7 Discharge Disposition Inconsistent With Institution To (D0505-175)

Rule

Criteria	

9 Unknown Weight 0.001 Recorded for Newborns and Neonates Less Than29 Days(D0703-50)

Rule

The weight of a newborn or neonate less than 29 days on admission to the facility must be recorded.

Every effort should be made to record the admission weight since Weight is required for Case Mix Group (CMG+) assignment.

Criteria	Description
Selection criteria	The abstracts of newborns and neonates where Age Code is D (Days) or B (Newborn or Stillbirth) AND Age Unit is 0–28 AND Weight is 0.001 AND Entry Code is not equal to S (Stillborn)
Data elements	Entry Code, Age (Derived), Weight

10 Incorrect Infant Status of Singleton Within a Multiparous Delivery Episode (D1002-32)

Rule

According to the Canadian Coding Standards, every newborn record must include a code from Z38.– *Liveborn infants according to place of birth* to indicate the plurality of birth:

- A liveborn singleton is assigned a code from Z38.0– to Z38.2–.
- Liveborn twins, triplets or other multiple births are assigned a code from Z38.3– to Z38.8–.

A multiple birth newborn record must not have a code from Z38.0– to Z38.2– (singleton) recorded.

Most multiple births are delivered on the same date; however, some multiple births can occur on different dates. The codes Z38.3– to Z38.8– describe the plurality of the pregnancy and apply even when the births occur on different days or at different locations and/or when 1 or more of the babies are stillborn.

Note: This analysis focuses on multiple births delivered on the same date. Clients may also perform analyses on different delivery dates, different delivery locations and where 1 or more newborns are stillborn.

Criteria	Description
Selection criteria	Newborn abstracts with Diagnosis Code Z38.0– to Z38.2– (exclude P96.4 *Termination of pregnancy* as Most Responsible Diagnosis) AND More than one Maternal/Newborn Chart Number recorded with the same admission date.
Data elements	Entry Code, Chart Number, Maternal/Newborn Chart Number, Admission Date, Diagnosis Code
Correct case examples	Mother: Chart Number: 8866766 Baby A: Admission Date: 2013/11/01 Entry Code: N Chart Number: 123455 Maternal/Newborn Chart Number: 8866766 Z38.300 *Twin, born in hospital, delivered vaginally, product of both spontaneous (NOS) ovulation and conception*.

Criteria	Description

11 Post-Procedural Disorder Codes Recorded Without an External Cause Code (D1002-52)

Rule

All post-procedural disorder codes (see Appendix A) require an external cause code (Y60–Y84 or V01–X59).

Criteria	Description
Selection criteria	Abstracts with a post-procedural disorder Diagnosis Code (see Appendix A) without an

12 Acute Myocardial Infarction Assigned Diagnosis Type (3) (D1002-127)

Rule

A myocardial infarction within the acute phase is always assigned a significant Diagnosis Type (M, 1, 2, W, X, Y) per the coding standard Acute Coronary Syndrome (ACS).

Exceptions:

1. When a patient is readmitted with a diagnosis classifiable to category I22.–

   Subsequent myocardial infarction, a code from category I21.– *Acute myocardial infarction* may be assigned as an optional Diagnosis Type (3)/other problem to indicate the site of the original MI.
2. When I21.– is recorded with a Diagnosis Prefix Q, Diagnosis Type (3) may be appropriate for the case.
3. Obstetric cases where O99.4– is recorded, I21.– is assigned a Diagnosis Type (3) to identify MI as the specific condition.

13 MRSA and VRE Infections — Missing Additiona Code for Site of Infection (D1002-134)

Rule

14 Incorrect Coding of Post-Intervention Sepsis (D1002-136)

Rule

When a case of sepsis meets the definition of a post-intervention condition, the primary code must be a T-code (from the list below, as applicable) and the code identifying the type of sepsis is assigned mandatory as a Diagnosis Type (3) along with the applicable external cause code from Y83-Y84. The application of the Diagnosis Cluster links all the codes together.

T-codes that may apply to a case involving post-intervention sepsis:

- T80.2 Infections following infusion, transfusions and therapeutic injection
- T81.4 Infection following a procedure, not elsewhere classified
- T88.0 Infection following immunization
- T82.6 Infection and inflammatory reaction due to cardiac valve prosthesis
- T82.701 Bloodstream infection and inflammatory reaction due to central venous catheter
- T82.79 Infection and inflammatory reaction due to other and unspecified cardiac and vascular devices, implants and grafts
- T83.5 Infection and inflammatory reaction due to prosthetic device, implant and graft in urinary system
- T83.6 Infection and inflammatory reaction due to prosthetic device, implant and graft in genital tract
- T84.50 Infection and inflammatory reaction due to shoulder prosthesis
- T84.51 Infection and inflammatory reaction due to elbow prosthesis
- T84.52 Infection and inflammatory reaction due to wrist, carpal and interphalangeal prosthesis
- T84.53 Infection and inflammatory reaction due to hip prosthesis
- T84.54 Infection and inflammatory reaction due to knee prosthesis
- T84.55 Infection and inflammatory reaction due to ankle and tarsal prosthesis
- T84.58 Infection and inflammatory reaction due to other joint prosthesis
- T84.59 Infection and inflammatory reaction due to unspecified joint prosthesis
- T84.60 Infection and inflammatory reaction due to internal fixation device of humerus
- T84.61 Infection and inflammatory reaction due to internal fixation device of radius and ulna
- T84.62 Infection and inflammatory reaction due to internal fixation device of bones of hand
- T84.63 Infection and inflammatory reaction due to internal fixation device of femur

- T84.64 Infection and inflammatory reaction due to internal fixation device of tibia and fibula
- T84.65 Infection and inflammatory reaction due to internal fixation device of bones of foot
- T84.68 Infection and inflammatory reaction due to internal fixation device of bones at other site
- T84.69 Infection and inflammatory reaction due to internal fixation device of bones of limb, unspecified
- T84.7 Infection and inflammatory reaction due to other internal orthopaedic prosthetic devices, implants and grafts
- T85.7 Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts

Criteria	Description
Selection criteria	Abstracts where any one of the following Diagnosis Codes A02.1, A03.9, A20.7, A21.7, A22.7, A23–, A24.1, A26.7, A28.0, A28.2, A32.7, A39.2, A39.3, A39.4, A40.–, A41.–, A42.7, A54.86, B37.7 is recorded with the same Diagnosis Cluster value as Y83–Y84 AND There is no T-code (from the list included in the Rule above) recorded within the same Diagnosis Cluster.
Data elements	Diagnosis Code, Diagnosis Cluster
Correct case examples	T81.4 (2) *Infection following a procedure, not elsewhere classified* [Dx Cluster A] A41.9 (3) *Sepsis, unspecified* [Dx Cluster A] Y83.8 (9) *Other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure* [Dx Cluster A]

15 More Than One Outcome of Delivery (Z37) Code (D1002-148)

Rule

16 Neurologically Determined Death Not Assigned Diagnosis Type (3) (D1002-152)

18 High Vaginal Laceration Without Corresponding CCI RepairCode (D1002-168)

Rule

For obstetric delivered or obstetric postpartum episodes of care, the Diagnosis Code O71.401 or O71.404 is expected to also have the corresponding Intervention Code 5.PC.80.JU *Surgical repair, postpartum, of current obstetric high vaginal laceration* recorded.

Notes

- When chart review reveals a high vaginal laceration repair was performed and the corresponding CCI repair code is missing or the wrong CCI repair code was assigned, correct the case by assigning 5.PC.80.JU and, if applicable, removing the wrong CCI repair code.
-

19 Vaginal Delivery Following Previous Caesarean Section in Single Delivery Episode Without Vaginal Delivery Intervention Code (D1002-169)

Rule

For a single delivery case, when the Diagnosis Code O75.701 *Vaginal delivery following previous caesarean section, delivered, with or without mention of antepartum condition* is recorded, the delivery Intervention Code must be from 5.MD.50.^^ to 5.MD.56.^^.

Note: The error can be due to incorrect assignment of a Diagnosis Code or an Intervention Code.

Criteria	Description
Selection criteria	Single delivery record (Z37.0– *Single live birth* or Z37.1– *Single stillbirth*) where Diagnosis Code O75.701 is recorded with an Intervention Code from rubric 5.MD.60.^^ *Caesarean section delivery*
Data elements	Diagnosis Code, Intervention Code
Correct case example	O75.701 (M) Vaginal delivery following previous caesarean section, delivered, with or without mention of antepartum condition Z37.000 (3) Single live birth, pregnancy resulting from both spontaneous ovulation and conception 5.MD.50.AA Manually assisted vaginal delivery (vertex), without episiotomy
Reference	Coding Standard: *Delivery With History of Previous Caesarean Section*

20 I64 Stroke, not specified as haemorrhage or infarction Recorded (D1002-170)

Rule

21 Cardiac Arrest Assigned Diagnosis Type (2) Without a Cardiac Resuscitative Intervention Code (D1002-171)

Rule

When cardiac arrest is documented as occurring post-admit and a cardiac resuscitative intervention is performed, regardless of outcome, it is mandatory to assign, as applicable, I46.0 *Cardiac arrest with successful resuscitation* or I46.9 *Cardiac arrest, unspecified*. In addition, it is mandatory to assign the applicable cardiac resuscitative intervention, either 1.HZ.09.^^ *Stimulation, heart NEC* or 1.HZ.30.^^ *Resuscitation, heart NEC*.

Notes

- Documentation of cardiac arrest post-admit without documentation of performing cardiac resuscitation is classified to I46.9 but does not meet the definition of post-admit comorbidity. If assigned, I46.9 must be Diagnosis Type (3).
- A chart review must be completed to determine what specific correction is necessary.

Criteria	Description
Selection criteria	Abstracts where Diagnosis Code I46.0 or I46.9 is recorded as Diagnosis Type (2) without intervention code 1.HZ.09.^^ or 1.HZ.30.^^
Data elements	Diagnosis Code, Diagnosis Type, Intervention Code
Correct case example	I46.0 (2) Cardiac arrest with successful resuscitation 1.HZ.30.JN Resuscitation, heart NEC by external manual compression with or without concomitant ventilation
References	Canadian Coding Standards: *Cardiac Arrest* ICD-10-CA CCI

23 Confirmed or Suspected COVID-19 in Obstetrics Undelivered (D1002-187)

27 U07.4Post COVID-19 conditionAssigned Diagnosis Type M, 1, 2, W, X, Y (D1004-185)

Rule

When U07.4 *Post COVID-19 condition* is assigned on an abstract, the diagnosis type must be (3).

Note: U07.4 *Post COVID-19 condition* is to be used in multiple coding to identify a case in which the physician/primary care provider documented that a condition or symptom has a relationship or association with past COVID-19.

Criteria	Description
Selection criteria	Abstracts where U07.4 is assigned diagnosis type M, 1, 2, W, X, Y
Data elements	Diagnosis Type, Diagnosis Code
Correct case example	U07.4 is assigned diagnosis type (3).
Reference	*Canadian Coding Standards for Version 2022 ICD-10-CA and CCI — Addendum: Pandemics and Epidemics (COVID-19)*

28 R57.2 Septic shock as MRDx (D1004-193)

Rule

R57.2 *Septic shock* must never be the MRDx.

29 Repair High Vaginal Laceration Without a Corresponding Diagnosis Code (D1102-111)

Rule

For obstetrics delivered or obstetric postpartum episodes of care, the Intervention Code 5.PC.80.JU *Surgical repair, postpartum, of current obstetric high vaginal laceration* must have a corresponding Diagnosis Code of O71.401 or O71.404 recorded on the same abstract.

The error can be due to

- An Intervention Code assigned correctly but the Diagnosis Code is missing, OR
- An Intervention Code assigned incorrectly

Criteria	Description
Selection criteria	Intervention Code 5.PC.80.JU *Surgical repair, postpartum, of current obstetric high vaginal laceration* is recorded without Diagnosis Code O71.401 or O71.404 *Obstetric high vaginal laceration* Exclude abortion abstracts with a Diagnosis Code from O08.6–
Data elements	Intervention Code, Diagnosis Code
Correct case examples	5.PC.80.JU *Surgical repair, postpartum, of current obstetric high vaginal laceration* AND O71.401 *Obstetric high vaginal laceration, delivered, with or without mention of antepartum condition*

30 Cementless Hip/Knee Replacement CCI Codes and the Presence of Cement Sticker (D1102-180)

Rule

When a cement product number is present in Group 20 Field 05, the 10th digit of the corresponding hip/knee replacement CCI code must be N or Q — with synthetic material.

OR

When the 10th digit of the hip/knee replacement CCI code is N or Q, a cement product number must be present in Group 20 Field 05.

Note: This test also checks that a cement sticker has not been overlooked. When a chart review reveals that cement was not used during the intervention, no correction is necessary.

Criteria	Description
Selection criteria	If a Cement — Product Number is present and the 10th digit of the corresponding hip/knee replacement CCI codes (1.VA.53.^^, 1.SQ.53.^^, 1.VG.53.^^, 1.VP.53.^^) is neither N nor Q OR If the 10th digit of the corresponding hip/knee replacement CCI codes (1.VA.53.^^, 1.SQ.53.^^, 1.VG.53.^^, 1.VP.53.^^) is N or Q and a Cement — Product Number is missing
Data elements	Intervention Code, Cement — Product Number
Correct case example	1.VG.53.LA-PM-N *Implantation of internal device, knee joint with synthetic material (e.g., bone paste, cement) single component prosthetic device* with 1 cement sticker product number 6191-0-001 in Group 20 Field 05.
Reference	CCI v2022

31 Incorrect Status Attribute With 3.IP.10.VX (D1103-172)

Rule

Status Attribute 0 (Not applicable) must not be assigned with 3.IP.10.VX *X-ray, heart with coronary arteries, of left heart structures using percutaneous transluminal arterial (retrograde) approach*. When coronary angiography is performed, the Status Attribute must identify whether the coronary angiography was

- Diagnostic [DX]
- Intraoperative [I]
- Unknown [whether diagnostic or intraoperative] [UN]

Note: The Status Attribute 0 (Not applicable) [i.e., ventriculogram] is for use only with 3.IP.10.VC *X-ray, heart with coronary arteries of right heart structures using percutaneous transluminal venous (antegrade) approach* and/or 3.IP.10.VZ *X-ray, heart with coronary arteries of left heart structures using percutaneous transluminal transseptal approach.*

Criteria	Description
Selection criteria	Abstracts where Intervention Code 3.IP.10.VX is recorded AND Status Attribute is 0.
Data elements	Intervention Code, Status Attribute
Correct case example	3.IP.10.VX *X-ray, heart with coronary arteries, of left heart structures using percutaneous transluminal arterial (retrograde) approach* Status Attribute: DX (Diagnostic)
Reference	CCI Status Attribute pop-up note

32 Incorrect Status Attribute With 3.IP.10.VC and/or 3.IP.10.VZ (D1103-173)

Rule

The following status attributes must not be assigned with 3.IP.10.VC *X-ray, heart with coronary arteries of right heart structures using percutaneous transluminal venous (antegrade) approach* and/or 3.IP.10.VZ

33 Incorrect Location Attribute With 3.IP.10.VX (D1104-82)

Rule

Location Attribute 0 (Not applicable) must not be assigned with 3.IP.10.VX *X-ray, heart with coronary arteries, of left heart structures using percutaneous transluminal arterial (retrograde) approach*. Coronary angiography is always performed via an arterial access and as such the Location Attribute must represent arterial access:

- Combined [for chronic total occlusion] [CB]
- Femoral artery (left) (right) [FY]
- Left arm artery [e.g., radial, brachial] [LY]
- Right arm artery [e.g., radial, brachial] [RY]
- Unknown artery [U]

Note: The Location Attribute 0 (not applicable) [i.e., venous approach] is for use only with 3.IP.10.VC *X-ray, heart with coronary arteries of right heart structures using percutaneous transluminal venous (antegrade) approach* and/or 3.IP.10.VZ *X-ray, heart with coronary arteries*

34 Incorrect Location Attribute With 3.IP.10.VC and/or 3.IP.10.VZ (D1104-174)

35 Extent Attribute UN (Unknown) With Hip Replacement (D1105-86)

Rule

Select the Extent Attribute UN (Unknown) only when there is no information to select a specific value from the extent attribute options. UN (Unknown) should be used rarely as the documentation will identify the component used with a hip replacement procedure 1.VA.53.^^ *Implantation of internal device, hip joint*.

Criteria	Description
Selection criteria	Abstracts where the Intervention Code from rubric 1.VA.53.^^ is recorded with the Extent Attribute UN Exclude hip replacement procedures where Out-of-Hospital Indicator is Y (Yes) or Status Attribute is A (Abandoned)
Data elements	Intervention Code, Extent Attribute, Status Attribute, Out-of-Hospital Indicator
Correct case examples	1.VA.53.LA-PN-N *Implantation of internal device, hip joint, open approach (direct lateral, posterolateral, posterior, transgluteal) using synthetic material (e.g., bone paste, cement) dual component prosthetic device [femoral with acetabular]* Status Attribute: R (revision) Location: L (left) Extent Attribute: FH (Modular ball (with or without modular neck) with stem remaining in situ [this component value requires Status value R = Revision])

36

Criteria	Description
Correct case examples	1.VA.53.LA-PN-N *Implantation of internal device, hip joint open approach (direct lateral, posterolateral, posterior, transgluteal) using synthetic material (e.g., bone paste, cement) dual component prosthetic device [femoral with acetabular]* Status Attribute: P (Primary) Location: L (left) Extent Attribute: MU (Modular total arthroplasty [Includes: Total hip replacement (femoral and acetabular)]) 1.VA.53.LA-PM-N *Implantation of internal device, hip joint open approach (direct lateral, posterolateral, posterior, transgluteal) using synthetic material (e.g., bone paste, cement) single component prosthetic device [femoral]* Status Attribute: P (Primary) Location: L (left) Extent Attribute: M2 (Modular hemiarthroplasty, bipolar femoral component [Includes: Femoral head with larger outer head (ball in ball) with a plastic acetabular liner for partial hip replacement; articulates with the native acetabulum]) 1.VA.53.LA-SL-N *Implantation of internal device, hip joint open approach (direct lateral, posterolateral, posterior, transgluteal) using synthetic material (e.g., bone paste, cement) cement spacer* Status Attribute: R (Revision) Location: L (left) Extent Attribute: CS (Cement spacer)
Reference	CCI v2022

37 Three or More OOH Intervention Episodes in One Day (D1113-35)

Rule

Interventions are captured in intervention episodes. An intervention episode represents a patient’s visit to a physical location where 1 or more interventions may take place. When more than one CCI code is required to capture the interventions performed in a single intervention episode, the Intervention Episode Start Date will be recorded once on the first line of the abstract. Every time an Intervention Episode Start Date is recorded on the abstract, a new intervention episode is derived.

The Out-of-Hospital (OOH) Indicator field indicates that an intervention episode w ì

38 Legal Status Upon Arrival to ED Must Not Be Blank for Non-NACRS L3 ED Facilities (D1515-177)

Rule

Legal Status Upon Arrival to ED is mandatory for facilities not also reporting NACRS Level 3 ED data. This field must not be blank if the patient was admitted via the ED.

Note: This test is applicable to facilities without any NACRS Level 3 ED records for the current fiscal year. Please disregard this test if your facility is a NACRS Level 3 ED facility. Once there are 1 or more NACRS Level 3 ED records from your facility, this test will no longer be applied to

39 Legal Status Upon Arrival to ED Must Be Blank for NACRS L3 ED

40 Legal Status Upon Arrival to ED Without Entry Code E — Emergency (D1515-179)

Rule

Legal Status Upon Arrival to ED must be blank if the patient was not admitted via the ED.

Criteria	Description
Selection criteria	Abstracts from acute inpatient: Where • Entry Code is not E (Emergency) AND • Main Patient Service or Service Transfer Service is 64 (Psychiatry) or 65 (Pediatric Psychiatry) AND •

42 Type of Restraint M, C, P, S or N Recorded More Than Once (D1517-191)

Rule

Record Type of Restraint for all restraint devices used during the first 3 days of the patient stay on Patient Service 64 or 65 (Psychiatry/Paediatric Psychiatry). Record all devices that were used, but record each device only once.

Criteria	Description
Selection criteria	Abstracts where Type of Restraint M, C, P, S or N is recorded more than once.
Data elements	Type of Restraint
Correct case example	Mechanical restraint is used twice during the first 3 days of the patient stay on Patient Service 64 or 65. Type of Restraint value M (Mechanical restraint) is recorded only once.
Reference	DAD Abstracting Manual: Group 15 — Mental Health Indicators, Field 17 — Type of Restraint

44 Project 340 — Project Not Completed When an "Applicable Condition" Code Is Recorded (D1618-99)

Rule

Special Project 340 Canadian Stroke Strategy Performance Improvement is expected to be completed for all patients who have been diagnosed with an acute/current stroke, and certain other conditions that from an ICD-10-CA classification perspective are not classified as a hemorrhagic, ischemic or unspecified stroke. The other conditions included in this project are: transient ischemic attack (TIA), transient retinal artery occlusion, intracranial and intraspinal phlebitis and thrombophlebitis, nonpyogenic thrombosis of intracranial venous system and central retinal artery occlusion.

Note: The term "applicable condition" is used throughout the stroke projects documentation to refer to the ICD-10-CA codes/conditions included.

Inclusion criteria ICD-10-CA code list:

- I60.– *Subarachnoid haemorrhage*
- I61.– *Intracerebral haemorrhage*
- I63.– *Cerebral infarction*
- I64 *Stroke, not specified as haemorrhage or infarction*
- G08 *Intracranial and intraspinal phlebitis and thrombophlebitis*
- I67.6 *Nonpyogenic thrombosis of intracranial venous system*
- H34.0 *Transient retinal artery occlusion*
- H34.1 *Central retinal artery occlusion*
- G45.– *Transient cerebral ischaemic attacks and related syndromes;* (excluding *G45.4 Transient global amnesia*)
- O22.5– Cerebral venous thrombosis in pregnancy
- O87.3– Cerebral venous thrombosis in puerperium

Note: There may be cases flagged with this test that do not require completion of project 340.

Criteria	Description
Selection criteria	Acute care abstracts from MB, NL, NS or ON where Project Number 340 is not completed when a Diagnosis Code for one of the "applicable conditions" is recorded. Exclusions: • Patients younger than 1 • Abstracts without any acute days
Data elements	Diagnosis Code, Diagnosis Type, Project Number
Reference	Group 16 — Special Projects documentation is now accessible through the DAD/NACRS Abstracting Manual application on CIHI's website.

45 Project 340 — Not Applicable, Unknown or Invalid Value for Prescription for Antithrombotic Medication at Discharge (D1618-103)

Rule

When Special Project 340 Canadian Stroke Strategy Performance Improvement is recorded, it is mandatory to complete Field 12 Prescription for Antithrombotic Medication at Discharge. This field captures whether the patient received a prescription for antithrombotic medication at discharge.

Note:

46 Project 340 — Missing, Invalid or Unknown Value for Date and Time of Acute Thrombolysis Administration When Administration of Acute Thrombolysis IS Y or P (D1618-121)

Rule

When Special Project 340 Special Project Canadian Stroke Strategy Performance Improvement is completed, it is mandatory to record Fields 04 to 11 Date and Time of Acute Thrombolysis Administration when Field 03 Administration of Acute Thrombolysis is Y (Yes) or P (Yes, Prior). This field captures the specific date and time that a patient received acute thrombolysis. The start date/time for administration of the medication should be recorded in these fields. The year is not being recorded.

Note: A high percent of abstracts with missing (blank), invalid or 99 (unknown) date and time may indicate a need to investigate documentation practices.

Notes:

- Special Project 740 is not completed for the codes H34.0– *Transient retinal artery occlusion* (another valid type of TIA) and H34.1– *Central retinal artery occlusion*.
- There may be cases flagged with this test that do not require completion of Project 740.

Criteria	Description
Selection criteria	Acute care abstracts from Ontario and from the following Newfoundland and Labrador facilities — Health Sciences Centre 00215, St. Clare's Mercy Hospital 00214, Dr. G.B. Cross Memorial Hospital 00064, Burin Peninsula Health Care Centre 00065, Carbonear General Hospital 00060, Central Newfoundland Regional Health Centre 00038, James Paton Memorial Hospital 00049 and Western Memorial Regional Hospital 00004 — where Project 740 is not completed when a Diagnosis Code for an "applicable condition" (see code list above) is recorded and the patient is 18 years or older Exclusions: • Abstracts where Z51.5– *Palliative care* is assigned • Abstracts without any acute days
Data elements	Diagnosis Code, Project Number
Reference	Group 16 — Special Projects documentation is now accessible through the

49 Project 740 — Invalid Value for Documentation of AlphaFIM® Scores (D1619-138)

Rule

When Project 740 AlphaFIM® is completed, it is mandatory to record Field 01 Documentation of AlphaFIM® Scores.

This field captures whether AlphaFIM® scores Projected FIM® — 13 Raw Motor Rating and/or the Projected FIM® — 5 Raw Cognitive Rating were documented for patients with an “applicable condition.”

50 Project 740 — Invalid Value for AlphaFIM® Completion Date When Documentation of AlphaFIM® Scores Is Y (D1619-139)

Rule

When Special Project 740 AlphaFIM® is completed and Field 01 Documentation of AlphaFIM® is Y, Fields 02–09 AlphaFIM® Completion Date must be a valid date or 99999999 (unknown).

This field captures the first date when AlphaFIM® scores Projected FIM® — 13 Raw Motor Rating and/or Projected FIM® — 5 Raw Cognitive Rating were documented.

Criteria	Description
Selection criteria	An ”applicable condition” is recorded AND Field 01 Documentation of AlphaFIM® Scores is Y AND 1 or more of the following fields are invalid: ● Fields 02–05 (Year): not a valid calendar year or not 9999 (unknown) ● Fields 06–07 (Month): not a valid calendar month or not 99 (unknown) ● Fields 08–09 (Day): not a valid calendar day or not 99 (unknown)
Data elements	Project Number, Field 01, Fields 02–09
Reference	Group 16 — Special Projects documentation is now accessible through the DAD/NACRS Abstracting Manual application on CIHI’s website.

51 Project 740 — AlphaFIM® Completion Date Not Between Admission Date and Discharge Date (D1619-141)

Rule

When Special Project 740 AlphaFIM® is completed and Field 01 Documentation of AlphaFIM® is Y and Admission Date, Discharge Date and Fields 02–09 AlphaFIM® Completion Date are valid dates, Fields 02–09 must be greater than or equal to theAdmchargû

52 Project 740 — Invalid Value for Projected FIM® — 13 Raw Motor Rating (D1619-142)

Rule

When Special Project 740 AlphaFIM® is completed and Field 01 Documentation of AlphaFIM® is Y, Fields 10–11 Projected FIM® — 13 Raw Motor Rating must be greater than or equal to 13 and less than or equal to 81 or equal to 99 (unknown).

This data element captures the total score documented for a patient's motor functional status from among the relevant tasks of eating, grooming, transfers, locomotion and bowel management.

Criteria	Description
Selection criteria	An "applicable condition" is recorded AND Field 01 Documentation of AlphaFIM® Scores is equal to Y AND Fields 10–11 Projected FIM® — 13 Raw Motor Rating is not greater than or equal to 13 and less than or equal to 81 or equal to unknown value 99
Data elements	Project Number, Field 01, Fields 10–11
Reference	Group 16 — Special Projects documentation is now accessible through the DAD/NACRS Abstracting Manual application on CIHI's website.

53 Project 740 — Invalid Value for Projected FIM® — 5 Raw Cognitive Rating (D1619-144)

Rule

When Special Project 740 AlphaFIM® is completed and Field 01 Documentation of AlphaFIM® is Y, Fields 12–13 Projected FIM® — 5 Raw Cognitive Rating must be greater than or equal to 7 and less than or equal to 35 or equal to 99 (unknown).

This data element captures the total score documented for a patient's cognitive functional status for expression and memory.

Criteria	Description
Selection criteria	An "applicable condition" is recorded AND Field 01 Documentation of AlphaFIM® Scores is Y AND Fields 12–13 Projected FIM® — 5 Raw Cognitive Rating is not greater than or equal to 7 and less than or equal to 35 or equal to 99 (unknown)
Data elements	Project Number, Field 01, Fields 12–13
Reference	Group 16 — Special Projects documentation is now accessible through the DAD/NACRS Abstracting Manual application on CIHI's website.

54 Project 440 — Invalid Value for CTA, CTP or MRA Scan Performed Prior to Start of Endovascular Thrombectomy Intervention (D1620-155)

Rule

When Special Project 440 Endovascular Thrombectomy is recorded, it is mandatory to record Field 01 CTA, CTP or MRA Scan Performed Prior to Start of Endovascular Thrombectomy Intervention.

This data element captures where the last (most recent) computed tomography angiography (CTA), computed tomography perfusion (CTP) or magnetic resonance angiogram (MRA) scan that qualified the patient for endovascular thrombectomy was performed.

55 Project 440 — Invalid Value for Date and Time of Qualifying Scan Prior to Endovascular Thrombectomy Intervention When CTA, CTP or MRA Scan Performed Prior to Start of Endovascular Thrombectomy Intervention Is P or Y (D1620-156)

Rule

When Special Project 440 Endovascular Thrombectomy is recorded and Field 01 CTA, CTP or MRA Scan Performed Prior to Start of Endovascular Thrombectomy Intervention is recorded with P (Yes, prior) or Y (Yes), Fields 02–09 Date and Time of Qualifying Scan Prior to Endovascular Thrombectomy Intervention must be a valid date and time or 99999999 (unknown).

56 Project 440 — Invalid Value for Date and Time of Arterial Puncture (D1620-157)

Rule

When Special Project 440 Endovascular Thrombectomy is recorded, Fields 10–15 Date and Time of Arterial Puncture must be a valid date and time or 999999 (unknown).

These fields capture the date and time of the first puncture of whatever artery is being used for the endovascular thrombectomy intervention. Most often the groin artery (e.g., femoral) will be used for access, but in some cases a different artery may be used (e.g., arm artery [radial, brachial], neck artery [carotid]).

Criteria	Description
Selection criteria	Project Number 440 is recorded And 1 or more of the following fields are invalid: • Fields 10–11 (Day): not 01–31 or not 99 (unknown) • Fields 12–13 (Hour): not 00–23 or not 99 (unknown) • Fields 14–15 (Minutes): not 00–59 or not 99 (unknown)
Data elements	Project Number, Field 01, Fields 10–15
Reference	Group 16 — Special Projects documentation is now accessible through the DAD/NACRS Abstracting Manual application on CIHI's website.

57 Project 440 — Invalid Value for First Reperfusion Achieved (D1620-158)

Rule

When Project 440 Endovascular Thrombectomy is recorded, it is mandatory to record Field 16 First Reperfusion Achieved.

Reperfusion is achieved when flow is re-established to the ischemic region for the first time. Note that reperfusion may not be sustained by end of the intervention; this element captures whether initial flow occurred.

Criteria	Description
Selection criteria	Project Number 440 is recorded And Field 16 First Reperfusion Achieved is not equal to Y (Yes), N (No), 8 (Not applicable) or 9 (Unknown)
Data elements	Project Number, Field 16
Reference	Group 16 — Special Projects documentation is now accessible through the DAD/NACRS Abstracting Manual application on CIHI’s website.

58 Project 440 — Invalid Value for Date and Time of First Reperfusion Achieved When First Reperfusion Achieved Is Y (D1620-159)

Rule

When Special Project 440 Endovascular Thrombectomy is recorded and Field 16 First Reperfusion Achieved is recorded with Y (Yes), Fields 17–22 Date and Time of First Reperfusion Achieved must be a valid date and time or 999999 (unknown).

This field captures the time of the first evidence of flow into the affected ischemic territory.

Criteria	Description
Selection criteria	Project Number 440 is recorded

59 Project 440 — Invalid Value for Final Endovascular Thrombectomy Reperfusion Outcome Achieved (D1620-160)

Rule

When Project 440 Endovascular Thrombectomy is recorded, it is mandatory to record Field 23 Final Endovascular Thrombectomy Reperfusion Outcome Achieved.

This

61 Missing Value for Number of Previous TermDeliveries and/or Number of Previous Pre-Term Deliveries for Obstetrics Delivered Cases (D1801-135)

Rule

When an obstetrics delivered code is recorded, it is mandatory to report Number of Previous Term Deliveries and Number of Previous Pre-Term Deliveries in some provinces and territories.

Criteria	Description
Selection criteria	K ᵛ l' ᴀᴰ ᵱ M̤ ᴛʁ r ƙ ᵀᵐᴰ M' P ʁʁ l l' ξed t ı ae¡rrl' ˢ ˢ P l l' ξed t ı]ᴰᴀʁᴛɔ γ l ᵀ

62 Scanner Used to Input Product Number and Cement — Product Number but AIM Code Was Not Enabled (D2010-161)

Rule

AIM (Automatic Identification and Mobility) code is a scanner parameter, enabled by scanning a barcode or ser. ƙ ’ҽ

- GS1 format

When the barcode is scanned, the output will look like this:

]C10110603295014577

The AIM code is composed of the first 3 digits:]C1

Appendix: Post-procedural disordercodes

This list identifies all post-procedural disorder codes. When a code from this list is assigned, it always requires an external cause code. When the applicable external cause is from

J95.00 Haemorrhage from tracheostomy stoma
J95.01 Infection of tracheostomy stoma
J95.02 Malfunction of tracheostomy stoma
J95.03 Tracheo-esophageal fistula following tracheostomy
J95.08 Other tracheostomy complication
J95.1 Acute pulmonary insufficiency following thoracic surgery
J95.2 Acute pulmonary insufficiency following nonthoracic surgery
J95.3 Chronic pulmonary insufficiency following surgery
J95.4 Mendelson’s syndrome
J95.5 Postprocedural subglottic stenosis
J95.80 Postprocedural pneumothorax
J95.81 Transfusion related acute lung injury (TRALI)
J95.88 Other postprocedural respiratory disorders
J95.9 Postprocedural respiratory disorder, unspecified
K91.0 Vomiting following gastrointestinal surgery
K91.1 Postgastric surgery syndromes
K91.2 Postsurgical malabsorption, not elsewhere classified
K91.3 Postoperative intestinal obstruction
K91.40 Haemorrhage from colostomy stoma
K91.41 Infection of colostomy stoma
K91.42 Malfunction of colostomy stoma, not elsewhere classified
K91.43 Haemorrhage from enterostomy stoma
K91.44 Infection of enterostomy stoma
K91.45 Enterostomy malfunction, not elsewhere classified
K91.5 Postcholecystectomy syndrome
K91.60 Haemorrhage from gastrostomy stoma
K91.61 Infection of gastrostomy stoma
K91.62 Gastrostomy malfunction, not elsewhere classified
K91.8 Other postprocedural disorders of digestive system, not elsewhere classified
K91.9 Postprocedural disorder of digestive system, unspecified
M96.0 Pseudarthrosis after fusion or arthrodesis
M96.1 Postlaminectomy syndrome, not elsewhere classified
M96.2 Postradiation kyphosis
M96.3 Postlaminectomy kyphosis

M96.4 Postsurgical lordosis

M96.5 Postradiation scoliosis

M96.60 Fracture of bone following insertion of joint prosthesis

M96.68 Fracture of bone following insertion of other and unspecified orthopaedic implant

M96.8 ..